

SENSE  
OF


*Living*

*Get  
inspired*

Discover the endless  
possibilities to express your  
creativity

**mFLOR.**  
sense of living





SENSE  
OF  
*Living*



# Introduction

You choose a floor with both your heart and your mind.

At mFLOR we make conscious choices. We opt for sustainability, safety, design and top quality. With your well-being and a sustainable world at heart, we combine natural designs with the highest quality materials. All the convenience of LVT floors with an appearance that is indistinguishable from real natural stone or wood. All these choices lead to a complete collection of sustainable, reliable and safe design floors.

A floor covers a large area, making it the perfect mood enhancer for any room. It is the part you are least likely to change for quite a while. When you choose a floor, choose wisely. A choice for comfort, style, durability and safety. This allows you to enjoy an attractive and practical interior. Sustainable and safe for a responsible future. mFLOR allows you to create a space that you experience with all your senses.

## Stimulate your senses with mFLOR



### *See*

See the most beautiful, natural designs. Indistinguishable from real wood or stone.



### *Smell*

Enjoy a fresh and safe indoor environment with minimal emissions.



### *Touch*

Feel the natural textures with 'mFLOR Natural Touch'.



### *Taste*

Create a floor to your personal taste and style.



### *Hear*

Experience the agreeable acoustics and gentle footfall sound.

# Contents



20


Reservoir Oak - Lynn  
72133

## 14 Dryback 20-03


- Argyll Fir
-  Hokido Ash
- Reservoir Oak
- River Oak



## 26 Dryback 25-05

- Abstract
-  Bramber Chestnut
- Broad Leaf
- English Oak
- Estrich Stone
- Fonteyn
- Nuance
- River Oak XL

## 44 Natural Touch 25-05

- Authentic Lake
-  Authentic Oak
- Authentic Oak XL
- Authentic Plank






50

Authentic Oak XL - Apulia  
56315



66

Parva River Oak XL - Po  
41914



38

Fonteyn - Corrie  
41615

## 54 Parva 25-05



Parva Broad Leaf

Parva Oak

Parva Oak Chevron

Parva Parquet

Parva River Oak

Parva River Oak XL <sup>NEW</sup>

## 68 Loose Lay 50-07



Abstract

Broad Leaf

English Oak

Nuance

## 78 Inspiration

Installation patterns

Mix & Match

Stairs & walls

Feature strips

Zoning

## 90 About mFLOR

Construction

Product features

Certifications

Specifications

Discover mFLOR

mFLOR Inspiration

Product directory







Broad Leaf - Light Sycamore  
41810

# Design

## Stimulate your senses with mFLOR

All our senses are used when we choose and experience a floor. This is reflected in the key elements of our floors, design, comfort and safety.



### See

See the most beautiful, natural designs.  
Indistinguishable from real wood or stone.

The design of our floors is a real eye catcher. It sets the mood of a room and therefore simply has to look good. True to nature in every way. We see endless variations of colour and patterns in nature. No two trees, stones or plants are the same. This is a basic principle behind the designs of mFLOR. No two strips are the same, and we combine these patterns with state-of-the-art production techniques, allowing us to apply the most intense colours and deep, accurate textures. That is how we create a natural floor that is indistinguishable from the real thing.







### *Taste*

Create a floor to your personal taste and style.

The design is not only reflected in the look and feel, but also in the shape and size of the planks and tiles. And in the pattern in which the floor is installed!

From regular sized wooden strips, to extra-long and wide variants, to amazingly large tiles: mFLOR floors are available in various sizes, depending on the design.

The mFLOR Parva ranges are especially designed to offer a unique format, which can be installed in the popular herringbone, Hungarian point or even Viennese point pattern and many more.



### *Touch*

Feel the natural textures with 'mFLOR Natural Touch'.

With 'In Register Embossing', the surface structure of the floor exactly matches the design. You can both see and feel the knots. We call this Natural Touch and all mFLOR Authentic collections have this Natural Touch technique.

An mFLOR floor usually consists of one design, the Authentic collections consist of two unique, matching designs that together form one floor. This creates a greater variation in the strips and makes the Authentic collections the most authentic design floors.



Parva Broad Leaf - Pure Sycamore  
40822



# Comfort



Bramber Chestnut - Alforj  
81607





### *Hear*

Experience the agreeable acoustics and gentle footfall sound.

mFLOR floors help to reduce and absorb footfall sound. The resilient material offers pleasant acoustics and reduces loud walking noises to a pleasant level. It makes a difference to every room.



### *Feel*

Feel the comfort of our design floors.

Unlike cold materials such as natural stone and tiles, our design floors offer underfoot comfort and warmth. This way the floor contributes to a pleasant temperature experience in a room. They are also highly suitable for underfloor heating and cooling, for even more comfort.



### *Smell*

Enjoy a fresh indoor environment through simple maintenance.

The protective wear layer of mFLOR floors repels house dust mites and other allergens. The floor is water-resistant and easy to maintain and clean, so no aggressive cleaning agents are required. A floor from mFLOR therefore increases the feeling of well-being while preventing or reducing allergies.



# Safety



## *Smell*

Enjoy a fresh and safe indoor environment with minimal emissions.

Our floors easily meet all strict safety standards. This means we are able to guarantee a fresh and pleasant indoor environment, without tiresome headaches or disagreeable odours caused by emissions.

All our products are certified with the 'Indoor Air Quality Gold Standard' from Eurofins, an independent, internationally renowned test laboratory. The permitted emission values are much lower than in any other national standard. Here too, mFLOR remains well below these strict standards. Choose peace of mind.

*“Enjoy a healthy indoor environment”*



## *Feel*

A safe floor for peace of mind.

At mFLOR, we prioritise safety and health above all else. That is why our design floors not only meet the strictest standards of the ECHA for interior applications, but even meet the same standard that is defined for plastic materials in toys and childcare products that can be put in the mouth. mFLOR only uses a phthalate-free plasticizer. If our production team had their way, you could eat off the floor!







Abstract - Downton Brown  
53126

**mFLOR.**  
sense of living



# Sustainable & environmentally responsible

The choice for a floor is made very consciously. To create a safe, pleasant environment in which you feel comfortable. Now, and in the future. That is why mFLOR constantly makes conscious choices, not only to contribute to your pleasant indoor environment, but also to contribute to a better world.



## *Environment*

The world belongs to all of us. That is why we continually invest in environment friendly products and production processes. Our factories are ISO 14001 certified. This means that our production processes have a neutral impact on the local environment.



## *Minimal volume*

mFLOR products are designed for maximum wear resistance with minimal weight. The products are only a few millimetres thick. This minimises the energy costs of transport.



## *Long life cycle*

The high quality and wear resistance of our mFLOR products ensure a long service life. Our floors come with an amazing 20 year guarantee!



## *Easy to clean*

Thanks to the physical properties of mFLOR, the floors are easy to clean using a limited amount of water and no harmful chemicals.





### *Phthalate-free*

Thanks to the deliberate choice of high-quality raw materials, mFLOR is able to guarantee a safe, healthy and phthalate-free LVT floor. Environmentally responsible in the interest of your safety – for now and for future generations.



### *Safe composition*

mFLOR meets all the requirements defined by the European Chemicals Agency (ECHA). These are based on the 'Registration, Evaluation, Authorisation and restriction of Chemicals (REACH)' system, making our products suitable for all possible applications. Our floors even comply to the standards defined for toys and childcare products, for example.



### *Recyclable*

Our floors are fully recyclable. mFLOR strives to minimise its impact on the world. The waste that arises during the production process is recycled, the majority of which goes back into our own products and a small remainder goes to other, external facilities to make different products.





# Dryback 20-03

Thickness 2.0mm  
Wear layer 0.3mm

The 20-03 ranges offer easy-care floors for every household. Strong enough for the way you live!



River Oak - Danube  
63022



Reservoir Oak - Foxcote  
72140



Dryback floors are thin LVT strips or tiles. These design floors are bonded to an even surface, so that the floor is completely fixed.

The 20-03 ranges are 2.0mm thick and have a 0.3mm thick wear layer. This makes the floors more than suitable for intensive domestic use, but also for light commercial applications where use is more intensive than in regular homes, such as hotel rooms.

*River Oak - Po*  
63014

*Argyll Fir - Greystriars*  
7510

*Reservoir Oak - Drayton*  
72143



*Argyll Fir - Warferry*  
75112

**mFLOR**  
sense of living



# Argyll Fir







Serrano  
75190

Greyfriars  
75110

Glenmuir  
75111

Warferry  
75112

Montrose  
75115

Comerford  
75170

Serrano  
75190

---


<i>Dimensions</i>	<b>121.92 x 22.86cm</b>
<i>Thickness</i>	<b>2.0mm</b>
<i>Wear layer</i>	<b>0.3mm</b>
<i>Pack quantity</i>	<b>12 strips / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>23 - Heavy domestic use 31 - Light commercial use</b>



# Hokido Ash



*Light Grey Ash*  
41511




*Dark Grey Ash*  
41519




*Smoky Ash*  
41581



*White Ash*  
41583



*Warm Brown Ash*  
41584



*Dark Brown Ash*  
41588



---

<i>Dimensions</i>	<b>121.92 x 22.86cm</b>
<i>Thickness</i>	<b>2.0mm</b>
<i>Wear layer</i>	<b>0.3mm</b>
<i>Pack quantity</i>	<b>12 strips / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>23 - Heavy domestic use</b> <b>31 - Light commercial use</b>





Dark Grey Ash  
41519



# Reservoir Oak







Lyn  
72133

Ardingly  
72136

Broad Fen  
72138

Foxcote  
72140

Chard  
72141

Drayton  
72143

---

<i>Dimensions</i>	<b>121.92 x 22.86cm</b>
<i>Thickness</i>	<b>2.0mm</b>
<i>Wear layer</i>	<b>0.3mm</b>
<i>Pack quantity</i>	<b>12 strips / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>23 - Heavy domestic use 31 - Light commercial use</b>



# River Oak



Rhone  
63019

Po  
63014

Danube  
63022

Douro  
63025

Volga  
63024

Tarn  
63029

 This floor is available in different designs:

**Parva River Oak**

60.96 x 11.43cm

pg. 64

**Parva River Oak XL**

74.93 x 15.24cm

pg. 66

**River Oak**

121.92 x 22.86cm

**River Oak XL**

150 x 23 cm

pg. 42

Also available as **Solcora** (click)floor with integrated underlay.

Dimensions	<b>121.92 x 22.86cm</b>
Thickness	<b>2.0mm</b>
Wear layer	<b>0.3mm</b>
Pack quantity	<b>12 strips / 3.34m<sup>2</sup></b>
Usage category	<b>23 - Heavy domestic use</b> <b>31 - Light commercial use</b>







Rhone  
63019



# Woburn Woods







*Macclesfield Pine*  
65811

*Delamere Pine*  
65812

*Mersea Pine*  
65815

*Parkhurst Oak*  
66218

*Bedgebury Oak*  
66219

*Charnwood Oak*  
69512

*Leighfield Oak*  
69518

*Martinsyde Oak*  
73803

---

<i>Dimensions</i>	<b>121.92 x 18.42cm</b>
<i>Thickness</i>	<b>2.0mm</b>
<i>Wear layer</i>	<b>0.3mm</b>
<i>Pack quantity</i>	<b>15 strips / 3.37m<sup>2</sup></b>
<i>Usage category</i>	<b>23 - Heavy domestic use</b> <b>31 - Light commercial use</b>





# Dryback

## 25-05

Thickness 2.5mm  
Wear layer 0.55mm

Extra strong ranges to make your life easy. These floors are water-resistant, so cleaning is a breeze.



Nuance - Off Grey  
44116

These LVT floors are 2.5mm thick and have a 0.55mm thick wear layer. This makes these floors suitable for intensive project-based use where large numbers of people walk on the floor, such as shops, schools, restaurants, public buildings and shopping centres.

Think outside the box! Our products not only give your floor a beautiful appearance, they can also be installed on stairs or even walls! See our Inspiration pages for more ideas.

The 25-05 ranges are available in many variants. For example, we offer ranges with Natural Touch, for floors that not only look, but also feel natural. See page 44 for more information and check out our Authentic ranges, which all have this Natural Touch.





Board Leaf - Warm Sycamore  
41815



*Think outside  
the box!*

**mFLOR.**  
sense of living








# Abstract



Coffee Brown  
53125





 The **Abstract** collection is also available as **Loose Lay** (see page 70).

---

<i>Dimensions</i>	<b>91.44 x 45.72cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>8 tiles / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use 42 - General industrial use</b>




# Bramber Chestnut




*Nutmeg*  
81601



*Pippuria*  
81603



*Sesamo*  
81605



*Alforf*  
81607



*Miglio*  
81611



---

<i>Dimensions</i>	<b>150 x 23cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>10 strips / 3.45m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>





Miglio  
81611



# Broad Leaf



*Dark Sycamore*  
41813





*Light Sycamore*  
41810

*Dark Sycamore*  
41813

*Warm Sycamore*  
41815

*Smoky Sycamore*  
41817

*Pure Sycamore*  
41822

*Grey Sycamore*  
41828

 This floor is available in different designs:

**Parva Broad Leaf**  
60.96 x 11.43cm

pg. 56

**Broad Leaf**  
121.92 x 18.42cm

The **Broad Leaf** collection is also available as **Loose Lay** (see page 72).

<i>Dimensions</i>	<b>121.92 x 18.42cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>15 strips / 3.37m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>



# English Oak



Waltham Oak  
70591



Marston Oak  
70592




Thetford Oak  
70594



Horsford Oak  
70595



Darwen Oak  
70596



Epping Oak  
70597

 The **English Oak** collection is also available as **Loose Lay** (see page 74).



Dimensions	121.92 x 18.42cm
Thickness	2.5mm
Wear layer	0.55mm
Pack quantity	15 strips / 3.37m <sup>2</sup>
Usage category	33 - Heavy commercial use 42 - General industrial use



Lewes Oak  
70599





*Sherwood Oak*  
70598

*Lewes Oak*  
70599

*Beaumont Oak*  
70613

*Chester Oak*  
70619



# Estrich Stone



*Grey*  
59211



*Brown*  
59212





*Anthracite*  
59213



*Anthracite*  
59213






---

<i>Dimensions</i>	<b>60.96 x 60.96cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>9 tiles / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use 42 - General industrial use</b>



# Fonteyn



*Corfe*  
41611



*Barle*  
41612



*Haddeo*  
41613




---

<i>Dimensions</i>	<b>91.44 x 91.44cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>6 tiles / 5.02m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>







Corrie - 41615  
3.4mm black feature strips



Simene  
41614



Corrie  
41615



Alphin  
41616




# Nuance



*Off White*  
44115  
XL - 44715



*Off Grey*  
44116  
XL - 44716



*Blue Grey*  
44117  
XL - 44717





---


<i>Dimensions</i>	<b>91.44 x 45.72cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>8 tiles / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use 42 - General industrial use</b>





Off White  
44115



 This floor is available in different designs:

**Nuance**  
91.44 x 45.72cm



**Nuance XL**  
91.44 x 91.44cm



The **Nuance** collection is also available as **Loose Lay** (see page 76) and as **Solcora** (click) floors with integrated underlay.



# River Oak XL



Douro  
73025





Rhone  
73019

Po  
73014

Danube  
73022

Douro  
73025

Volga  
73024

Tarn  
73029

 This floor is available in different designs:

**Parva River Oak**  
60.96 x 11.43cm

pg. 64

**Parva River Oak XL**  
74.93 x 15.24cm

pg. 66

**River Oak**  
121.92 x 22.86cm

pg. 22

**River Oak XL**  
150 x 23cm

Also available as **Solcora** (click)floor  
with integrated underlay.

<i>Dimensions</i>	<b>150 x 23cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>10 strips / 3.45m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use 42 - General industrial use</b>





# Natural Touch

## 25-05

Thickness 2.5mm  
Wear layer 0.55mm

Our Authentic ranges truly are the most authentic design floors.

*Feel the difference!*

The mFLOR Authentic ranges have an extra 'touch', Natural Touch. This technique is also known as 'In Register Embossing'. As a result, the floor not only looks very natural, but the surface structure of the floor exactly matches the pattern. You can both see and feel the knots.







*Authentic Oak XL - Calabria*  
56313





*Authentic Lake - Grafham*  
83315

Because mFLOR uses state-of-the-art production techniques, we can give this structure extra depth and accuracy so the pattern is followed seamlessly. This ensures the most natural experience of the floor.



# Authentic Lake



**i** The **Authentic Lake** collection is also available as **Solcora** (click) floors with integrated underlay.

---

Dimensions	150 x 23cm
Thickness	2.5mm
Wear layer	0.55mm
Pack quantity	10 strips / 3.45m <sup>2</sup>
Usage category	33 - Heavy commercial use 42 - General industrial use










# Authentic Oak








Heartwood  
56281




 This floor is available in different designs:

**Parva Parquet**  
22.86 x 7.62cm

 pg. 62


**Authentic Oak**  
121.92 x 22.86cm



Dimensions	<b>121.92 x 22.86cm</b>
Thickness	<b>2.5mm</b>
Wear layer	<b>0.55mm</b>
Pack quantity	<b>12 strips / 3.34m<sup>2</sup></b>
Usage category	<b>33 - Heavy commercial use 42 - General industrial use</b>




# Authentic Oak XL




Calabria  
56313



Piedmont  
56314




Apulia  
56315



Liguria  
56316



Lombardia  
56317



Sardinia  
56319

 This floor is available in different designs:

**Parva Oak**  
60.96 x 11.43cm

pg. 58

**Parva Oak Chevron**  
80.01 x 13.34cm

pg. 60

**Authentic Oak XL**  
150 x 23cm

Also available as **Solcora** (click)floor with integrated underlay.

Dimensions	<b>150 x 23cm</b>
Thickness	<b>2.5mm</b>
Wear layer	<b>0.55mm</b>
Pack quantity	<b>10 strips / 3.45m<sup>2</sup></b>
Usage category	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>



Apulia  
56315








# Authentic Plank







Floor: Mocha - 81011  
Wall: Glenn - 81032



Mocha  
81011




Verde  
81013



Sylvian  
81014



Shade  
81015




Dolche  
81027



Ferne  
81031



Glenn  
81032



Sartor  
81033

---

Dimensions	121.92 x 18.42cm
Thickness	2.5mm
Wear layer	0.55mm
Pack quantity	15 strips / 3.37m <sup>2</sup>
Usage category	33 - Heavy commercial use 42 - General industrial use





# Parva

## 25-05

Thickness 2.5mm  
Wear layer 0.55mm

The Parva  
collections  
offer creative  
freedom.





The unique size makes it easy to install a floor from the mFLOR Parva collection in a popular herringbone or Hungarian Point or even Viennese point pattern. Or it can be combined with larger sizes to create a border edge with or without feature strips. Everyone can create a floor with their own design and identity. The possibilities are endless.

Herringbone floors are tremendously popular. The classic parquet pattern, combined with the practical advantages of an LVT floor, offers the best of both worlds.



*Parva Broad Leaf - Smoky Sycamore*  
40817



*Parva River Oak XL - Tarn*  
41929



# Parva Broad Leaf



Light Sycamore  
40810



Dark Sycamore  
40813



Warm Sycamore  
40815




Smoky Sycamore  
40817



Pure Sycamore  
40822



Grey Sycamore  
40828

 This floor is available in different designs:

**Parva Broad Leaf**  
60.96 x 11.43cm



**Broad Leaf**  
121.92 x 18.42cm



---

Dimensions	60.96 x 11.43cm
Thickness	2.5mm
Wear layer	0.55mm
Pack quantity	48 strips / 3.34m <sup>2</sup>
Usage category	33 - Heavy commercial use 42 - General industrial use







Pure Sycamore  
40822



# Parva Oak



Calabria  
41213





Calabria  
41213


Piedmont  
41214

Apulia  
41215

Liguria  
41216

Lombardia  
41217

Sardinia  
41219

 This floor is available in different designs:

**Parva Oak**  
60.96 x 11.43cm



**Parva Oak Chevron**  
80.01 x 13.34cm



pg. 60

**Authentic Oak XL**  
150 x 23cm



pg. 50

<i>Dimensions</i>	<b>60.96 x 11.43cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>48 strips / 3.34m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use 42 - General industrial use</b>



# Parva Oak Chevron




 This floor is available in different designs:

**Parva Oak**  
60.96 x 11.43cm

 pg. 58

**Parva Oak Chevron**  
80.01 x 13.34cm



**Authentic Oak XL**  
150 x 23cm

 pg. 50

---

<i>Dimensions</i>	<b>80.01 x 13.34cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>30 strips / 2.67m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>







Piedmont  
42214




# Parva Parquet




Perun Oak  
46281





Perun Oak  
46281




Thors Oak  
46282



Dodona Oak  
46283




Jurupa Oak  
46284



Agder Oak  
46288



Biscay Oak  
46289

 This floor is available in different designs:

**Parva Parquet**  
22.86 x 7.62cm



**Authentic Oak**  
121.92 x 22.86cm



Dimensions	<b>22.86 x 7.62cm</b>
Thickness	<b>2.5mm</b>
Wear layer	<b>0.55mm</b>
Pack quantity	<b>60 strips / 1.05m<sup>2</sup></b>
Usage category	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>



# Parva River Oak



Rhone  
41319



Po  
41314



Danube  
41322



Douro  
41325




Volga  
41324



Tarn  
41329



 This floor is available in different designs:

**Parva River Oak**  
60.96 x 11.43cm



**Parva River Oak XL**  
74.93 x 15.24cm



**River Oak**  
121.92 x 22.86cm



**River Oak XL**  
150 x 23cm



Also available as **Solcora** (click)floor with integrated underlay.

Dimensions	<b>60.96 x 11.43cm</b>
Thickness	<b>2.5mm</b>
Wear layer	<b>0.55mm</b>
Pack quantity	<b>48 strips / 3.34m<sup>2</sup></b>
Usage category	<b>33 - Heavy commercial use</b> <b>42 - General industrial use</b>







Volga  
41324



NEW

# Parva River Oak XL







Po  
41914

Rhone  
41919


Po  
41914

Danube  
41922

Douro  
41925

Volga  
41924

Tarn  
41929

 This floor is available in different designs:

**Parva River Oak**  
60,96 x 11,43 cm

pg. 64

**Parva River Oak XL**  
74,93 x 15,24 cm

**River Oak**  
121,92 x 22,86 cm

pg. 22

**River Oak XL**  
150 x 23 cm

pg. 42

---

<i>Dimensions</i>	<b>74.93 x 15.24cm</b>
<i>Thickness</i>	<b>2.5mm</b>
<i>Wear layer</i>	<b>0.55mm</b>
<i>Pack quantity</i>	<b>36 strips / 4.11m<sup>2</sup></b>
<i>Usage category</i>	<b>33 - Heavy commercial use 42 - General industrial use</b>





# Loose Lay 50-07

Thickness 5.0mm  
Wear layer 0.7mm

Quick to fit and strong: that are mFLOR Loose Lay floors. These floors can be installed quickly and easy, resulting in solid floors that remain removable.



English Oak - Darwen Oak  
70296

These LVT floors have a thickness of 5.0mm and a wear layer of 0.7mm. Because of the thickness, weight and anti-slip backing, no adhesive is required for installation. The ideal solution for all demanding floating floor applications, like on raised floors.







*Nuance - Charcoal*  
44619

*Nuance - Blue Grey*  
44617

*Nuance - Off White*  
44615

## The benefits of mFLOOR Loose Lay at a glance:

- Suitable for very demanding applications
- Stays removable; so no damage to the subfloor
- Suitable for underfloor heating and cooling
- Circular product: can be used again and again



*Abstract - Asp Grey*  
70124




*Broad Leaf - Warm Sycamore*  
70815




# Abstract








*Chocolate Black*  
70121




*Blast Bronze*  
70122



*Asp Grey*  
70124



*Spark Almond*  
70127


 The **Abstract** collection is also available as **Dryback** (see page 28).

---


<i>Dimensions</i>	<b>91.44 x 45.72cm</b>
<i>Thickness</i>	<b>5.0mm</b>
<i>Wear layer</i>	<b>0.7mm</b>
<i>Pack quantity</i>	<b>6 tiles / 2.51m<sup>2</sup></b>
<i>Usage category</i>	<b>34 - Very heavy commercial use</b> <b>43 - Heavy industrial use</b>



# Broad Leaf



Dark Sycamore  
70813




Warm Sycamore  
70815



Pure Sycamore  
70822



Grey Sycamore  
70828

 The **Broad Leaf** collection is also available as **Dryback** (see page 32).

---

Dimensions	121.92 x 18.42cm
Thickness	5.0mm
Wear layer	0.7mm
Pack quantity	10 strips / 2.25m <sup>2</sup>
Usage category	34 - Very heavy commercial use 43 - Heavy industrial use



Pure Sycamore  
70822







# English Oak







Darwen Oak  
70296



Marston Oak  
70292



Horsford Oak  
70295



Darwen Oak  
70296



Lewes Oak  
70299






The **English Oak** collection is also available as **Dryback** (see page 34).


---

<i>Dimensions</i>	<b>121.92 x 18.42cm</b>
<i>Thickness</i>	<b>5.0mm</b>
<i>Wear layer</i>	<b>0.7mm</b>
<i>Pack quantity</i>	<b>10 strips / 2.25m<sup>2</sup></b>
<i>Usage category</i>	<b>34 - Very heavy commercial use 43 - Heavy industrial use</b>



# Nuance



 This floor is available in different designs:

**Nuance**  
91.44 x 45.72cm



**Nuance XL**  
91.44 x 91.44cm



The **Nuance** collection is also available as **Dryback** (see page 40) and as **Solcora** (click) floors with integrated underlay.

Dimensions	<b>91.44 x 45.72cm</b>
Thickness	<b>5.0mm</b>
Wear layer	<b>0.7mm</b>
Pack quantity	<b>6 tiles / 2.51m<sup>2</sup></b>
Usage category	<b>34 - Very heavy commercial use</b> <b>43 - Heavy industrial use</b>









# Get inspired

The days when all floors were installed in a straight pattern only are long gone. The spaces we use flow organically into one another, and that is something we at mFLOR respond to. Our floors offer room for creativity. For example, you can have different installation patterns, combine different colours and sizes, add feature strips or extend the floor covering on the wall or stairs. There are plenty of choices. Curious? Get Inspired!

## Installation patterns

Think 'outside the box' by installing the floor diagonally, in a herringbone pattern, in a Hungarian point or even in a Viennese point pattern.




Herringbone



Double herringbone



Hungarian point



Viennese point



Argyll Fir - Greyfriars - 75110  
Argyll Fir - Comerford - 75170

## Mix & Match

Mix & match different colours and contrasts to create a special and vibrant space.



## Stairs and walls

mFLOR floors are multifunctional. They can be used not only on the floor, but also on a range of other surfaces – on the stairs, for example, or you can continue the floor covering through to the wall!



## Zoning

Zoning is also known as 'interior landscaping'. It is easy to create different 'zones' in an open space by using a different floor in a certain part of the space.



## Feature strips

Create a completely different look by applying feature strips to your LVT floor.



# Installation patterns

Think 'outside the box' by installing the floor in a completely different pattern. For example diagonally, in a herringbone pattern, in a Hungarian Point or even in a Viennese Point.



mFLOR offers all kinds of ways to incorporate creativity into a personal and unique floor. For example, you can install it in different directions and patterns, vary with different sizes within a collection or apply feature strips.











# Mix & Match

Mix & match different colours and contrasts to create a special and vibrant space.





Argyll Fir - Greyfriars - 75110  
Argyll Fir - Comerford - 75170

Design a unique, personal floor and add a playful, casual touch to your interior by using different colors within the same design.





# Stairs and walls

A special effect is created by extending the floor to other surfaces. What is more, the maintenance-friendly properties of the floor can now be enjoyed on the stairs or wall as well.

mFLOR floors are multifunctional. They can be used not only on the floor, but also on a range of other surfaces – on the stairs, for example, or you can continue the floor covering through to the wall!



*Broad Leaf - Pure Sycamore*  
41822





Reservoir Oak - Broad Fen  
72138



# Feature strips

Create a completely different look by applying feature strips to your LVT floor.







*Authentic Plank - Glenn - 81032  
3.4mm black feature strips*




*Fonteyn - Corfe - 41611  
3.4mm black feature strips*

For example, feature strips can be used on the long sides of wooden floors, or at the joints of a tiled floor. This gives a whole new dimension to the floor!

The feature strips are available in four colours (black, brown, beige and grey) and different thicknesses, so that there is always a suitable feature strip for your floor.\*

\*See page 114 for more information.





# Zoning

Zoning is also known as 'interior landscaping'. It is easy to create different 'zones' in an open space by using a different design or colour in a certain part of the space.







Parva River Oak - Danube - 41322  
River Oak XL - Danube - 73022



Abstract - Blast Bronze - 53122  
Bramber Chestnut - Sesamo - 81605

Create different zones by using various installation directions or patterns. Or choose a completely different colour or type of design.



# About mFLOR


At mFLOR, we deliberately opt for sustainable, reliable and safe design floors – for your sake and for the environment. We combine natural designs with the highest quality materials, allowing you to create an attractive and practical interior. All the convenience of LVT floors with an appearance that is indistinguishable from real natural stone or wood.

## Product features


mFLOR floors have many positive features that ensure years of convenience from a beautiful, safe and trouble-free floor. It provides a sound basis for a comfortable interior.

## Construction

LVT floors from mFLOR consist of several layers. mFLOR makes conscious choices for each layer to offer a high quality product. Every detail has been carefully considered and enhances the quality and appearance of the floor.







Broad Leaf - Light Sycamore  
41810

## Certifications

mFLOR floors are thoughtfully designed. All aspects are backed up by thorough testing and certification.



**mFLOR.**  
sense of living




# Construction

## Dryback



### *PU layer*

The PU layer provides extra protection and adds an extra matt finish to the floor.



LVT floors from mFLOR consist of several layers. mFLOR makes conscious choices for each layer to offer a high quality product. Every detail has been carefully considered and enhances the quality and appearance of the floor.



### *PVC backing*

– Very dimensionally stable backing made of 100% pure, A-quality, phthalate-free PVC. This ensures a durable, safe and low-emission product with top stability performance.








### Film layer

Thanks to the production process, the exclusive, realistic film layer reproduces the warmest, most natural colours and patterns.



### Wear layer

The sturdy wear layer protects the floor against intensive use and makes the floor extra scratch and stain-resistant.



– The PVC backing is resilient, feels comfortable and provides a pleasant footfall sound.



– The PVC backing is water-resistant so it can be used throughout the house and is easy to clean.




# Construction

## Loose Lay



### *PU layer*

The PU layer provides extra protection and adds an extra matt finish to the floor.



### *PVC backing*

– Very dimensionally stable backing made of 100% pure, A-quality, phthalate-free PVC. This ensures a durable, safe and low-emission product with top stability performance.

– The PVC backing is resilient, feels comfortable and provides a pleasant footfall sound.

– The PVC backing is water-resistant so it can be used throughout the house and is easy to clean.



### *Glass fibre reinforcement*

This layer provides extra dimensional stability.





### *Wear layer*

The sturdy wear layer protects the floor against intensive use and makes the floor extra scratch and stain-resistant.



### *Film layer*

Thanks to the production process, the exclusive, realistic film layer reproduces the warmest, most natural colours and patterns.



### *Anti-slip backing*

Thanks to the unique anti-slip layer and the weight of the PVC backing, this product is easy to install without adhesive and without telegraphing.



# Product features



mFLOR floors have many positive features that ensure years of pleasurable use from a beautiful, safe and trouble-free floor. It provides a sound basis for a pleasant interior.



## *Strong*

mFLOR floors are extremely strong and have an indestructible wear layer. This means that the floors will last for years, even with intensive use.



## *Water-resistant*

PVC floors are water resistant. Not only is this helpful for cleaning, it also makes the floor suitable for all rooms – from offices to living rooms, from kitchens to toilets and bathrooms.



## *Quiet*

mFLOR floors help ensure favourable acoustics. This is because of the elastic properties of PVC, which minimises footfall sound.



## *Stable*

By choosing the best raw materials, mFLOR guarantees a quality product without the need for additives. It is not only safe, but also 100% stable.





Nuance - Duck Egg Blue  
54446



### *Warm*

Our floors have insulating properties that make the floor feel pleasant to the touch. The floors are also highly suitable for underfloor heating and cooling.



### *Recyclable*

All our floors are durable and fully recyclable. Moreover, the production process used for our LVT floors takes environmental impact into account.



### *Comfortable*

mFLOR floors not only feel pleasant temperature-wise, they are also comfortably soft on the feet.



### *No permanent pressure spots*

Because mFLOR floors are resilient, no permanent impressions are left in the floor. Heavy furniture or stiletto heels are no problem whatsoever.



### *Scratch-resistant*

mFLOR floors are scratch and stain resistant. This makes life easier when something falls on the floor.



### *Quality guarantee*

mFLOR guarantees that its floors will last a good long time – no less than 20 years!



# mFLOR Certifications

mFLOR floors are a  
conscious choice

All the choices we make in the manufacture of our floors are considered carefully, giving priority to safety, durability and reliability. This allows us to offer you a sound basis for a pleasant indoor environment. A floor that you choose with your heart and your mind.

In order to check and substantiate these choices, we have our products constantly tested and certified by independent institutes. Not only our end product, but also the entire production process. By continuously considering both aspects, we manage to have a minimal impact on the environment. In addition, our products are extremely suitable for buildings that are developed according to sustainable policies, using protocols such as LEED and BREEAM.

## *Production process –ISO certifications*


mFLOR factories have both ISO 9001 certification (the global standard for quality management) and ISO 14001 certification (international standard for environmental management). These independent certifications show that quality and sustainability are of paramount importance at mFLOR. Not only for our end product, but also during the production process.



*We contribute to a  
better environment*







### *Recycling*

mFLOR strives to minimize its impact on the world. The waste that arises during the production process is recycled, the majority of which goes back into our own products and a small remainder goes to other, external facilities to make different products. Moreover, our product itself is also fully recyclable.



### *Product composition – REACH*

At mFLOR, we prioritise safety and health above all else. Our floors are therefore phthalate free. As a result, our design floors not only meet the strictest standards of ECHA (REACH) for interior applications, but they even meet the extra strict standard set for plastic materials in toys and childcare articles that can be placed in the mouth. If our production team had their way, you could eat off the floor!



- ✓ ISO certifications: Production has a minimal impact on the environment
- ✓ Waste during the production process is recycled
- ✓ Fully recyclable
- ✓ Phthalate free
- ✓ Minimal emissions
- ✓ Long product life cycle
- ✓ Supports the 'sustainable building policy' by contributing to LEED and BREEAM protocols






mFLOR easily meets the requirements of the German DIBt standard, the French A+ air quality standard and the Eurofins Gold Standard. In addition, mFLOR also meets the specifications of M1 (NS-EN 15251-2007) for buildings designed according to the BREEAM NOR standard. mFLOR products also score points when used in buildings designed according to LEED protocols.



### *This implies:*

- ✓ The strictest national standards within Europe allow a total emission of VOC (Volatile Organic Compounds) of 1000  $\mu\text{g}/\text{m}^3$ .
- ✓ The voluntary standard (so not mandatory!) of Eurofins allows a total emission of VOC of 160  $\mu\text{g}/\text{m}^3$ .
- ✓ The test results show that the mFLOR products have a total VOC emission of only 27  $\mu\text{g}/\text{m}^3$ . So the choice for mFLOR is also a choice for a minimal impact on air quality.

### *Volatile Organic Compounds in $\mu\text{g}/\text{m}^3$ after 28 days*









## *Emissions and indoor air quality*

After processing a product, an emission of Volatile Organic Compounds (VOC) can occur. The emission of these VOCs can lead to various complaints, such as an unpleasant smell or headache. Since people spend a lot of time indoors, it is important to keep the amount of emissions to a minimum.

Unfortunately, there are no international or European standards governing emissions yet. Various countries have drawn up their own standard, but there are considerable substantive differences between them. In addition to the national standards, various voluntary standards have been developed. All of these standards are assessed by standardised laboratory test methods.

The sheer quantity of these standards can make things quite confusing. For this reason, Eurofins, a prominent international test laboratory, has developed its own 'Indoor Air Quality' standard. An extension of this is the 'Indoor Air Quality Gold', which involves testing an even wider range of substances and the permitted emissions are even lower than with any other national standard. Therefore, this standard more than meets all standards within and outside Europe. For example:

- Belgian VOC regulations
- German AgBB / AGB
- French certification program "Émissions dans l'air intérieur" (A+ certification)

All mFLOR products are provided with this Indoor Air Quality Gold certificate. This way you can be sure that our floors always meet the strictest standards. Even more than that, because our values are well below the set limits.

## *Sustainable construction – LEED / BREEAM*

Buildings are increasingly built and then certified according to an overall sustainability scheme. Having a project certified under a sustainability scheme such as BREEAM or LEED demonstrates how sustainable it really is. It shows, among other things, that:

- The project concerns a sustainable and high quality building, thus helping to reduce operating costs.
- The building is 'healthy' in terms of climate, ventilation and VOCs. All these factors, in turn, help to generate higher productivity and mean a healthier workforce.

Thanks to their low VOC values, mFLOR floors can make a valuable contribution to buildings that are certified according to sustainability criteria. The sustainability schemes also vary considerably between countries. The Eurofins Indoor Air Certificate Gold covers the VOC requirements laid down by sustainability schemes such as BREEAM NOR, BREEAM NL, BREEAM International, WELL Building, GreenTag Australia, SKA Rating, etc.
















Authentic Lake - Abberton  
83317



# mFLOR

## specifications


mFLOR Specifications		mFLOR20-03	mFLOR25-05	mFLOR50-07
ISO 10582 ISO 14001 ISO 9001	Floorcovering	Heterogeneous PVC ✓ ✓	Heterogeneous PVC ✓ ✓	Heterogeneous PVC ✓ ✓
ISO 24340:2006	Thickness of the wear layer	0.3mm + Polyurethane	0.55mm + Polyurethane	0.7mm + Polyurethane
ISO 24346:2006	Overall thickness	2.0mm	2.5mm	5.0mm
ISO 23997:2008	Weight	ca. +/- 3.550kgs/m <sup>2</sup>	ca. +/- 4.270kgs/m <sup>2</sup>	ca. +/- 8.490kgs/m <sup>2</sup>
ISO 23999:2008	Dimensional stability (average value)	In longitudinal direction: -0.05% In cross direction: -0.05%	In longitudinal direction: 0.00% In cross direction: -0.05%	In longitudinal direction: -0.03% In cross direction: -0.08%
EN 1081:1998	Electrical resistance Method A. vertical resistance  Method C. horizontal resistance	6.6 x 10 <sup>12</sup> Ω	1.5 x 10 <sup>11</sup> Ω	8.7 x 10 <sup>10</sup> Ω
		1.5 x 10 <sup>7</sup> Ω	1.2 x 10 <sup>13</sup> Ω	8.0 x 10 <sup>11</sup> Ω
EN 1815:2016	Static electrical propensity (anti-static) Method A	Rubber sole: 0.4kV	Rubber sole: 0.3kV	Rubber sole: 0.4kV
EN ISO 10140-1-5:2010 EN ISO 717-2:2013	Impact sound insulation	ΔL <sub>w</sub> 1dB	ΔL <sub>w</sub> 1dB	ΔL <sub>w</sub> 8dB
ISO 354:2003	Sound absorption	α <sub>w</sub> 0.05	α <sub>w</sub> 0.05	α <sub>w</sub> 0.05
ISO 8302:1991 EN 12667:2001	Thermal resistance (thermal conductivity)	0.007m <sup>2</sup> K/W	0.010m <sup>2</sup> K/W	0.020m <sup>2</sup> K/W
EN 13501-1:2007 + A1:2009	Classification of burning behaviour	Bfl - s1	Bfl - s1	Bfl - s1
ISO 24343-1:2012	Residual indentation	0.00mm	0.12mm	0.08mm
ISO 4918:2016	Castor chair test	✓	✓	✓
EN 13893:2002	Slip resistance (μ)	0.5	0.4	0.4
ISO 10582:2017	Usage category	23 - Heavy domestic use 31 - Light commercial use	33 - Heavy commercial use 42 - General industrial use	34 - Very heavy commercial use 43 - Heavy industrial use
ISO 26987:2008	Staining and resistance to chemicals	Class 0 - no change	Class 0 - no change	Class 0 - no change
ISO 24344A	Flexibility	20mm	20mm	20mm
EN 71	Toxicity	Non-toxic	Non-toxic	Non-toxic
EN ISO 105-B02:2013	Colour fastness to artificial light	6-8, depending on design	6-8, depending on design	6-8, depending on design
	Underfloor heating	28°C	28°C	28°C






# Discover mFLOR

Visit [www.mflor.com](http://www.mflor.com) for more information and images of all our collections.



*Authentic Plank - Shade*  
81015



*Bramber Chestnut - Sesamo*  
81605



*Parva Broad Leaf - Smoky Sycamore*  
41817

## *Samples*



To make a good choice, nothing beats seeing, touching and comparing the real product. That is why we offer a free PVC sample service. Request up to three A4 samples free of charge at [www.mflor.com](http://www.mflor.com) and the samples will be delivered to your home within a few days.



## *Brochures*

All our brochures are also available online at [www.mflor.com](http://www.mflor.com) where of course you can also download them.





## Visualiser

A room's atmosphere and appearance depend to a large extent on the choice of floor. It is difficult to make this important choice based on a single image or a single sample. To get a good impression of the overall design, the colouring and the effect of installing the floor in a particular pattern, for example, it is important to see the bigger picture. So use the mFLOR Visualiser! The Visualiser lets you try out all mFLOR floors in different rooms, such as living rooms, bedrooms, kitchens and bathrooms.

Vary the atmosphere by trying out different rooms and experiment with different ranges, colours, installation patterns and feature strips.

Do you find it hard to imagine how the new floor will look in your own room? Will it match the colour of the walls and the curtains? Try for yourself! Take a picture of the room, upload it into the mFLOR Visualiser and compare which floor suits you the best!



# mFLOR Inspiration

## *For every style*

Whatever style you're looking for, an mFLOR floor will always suit you. Basic, classic, rural or industrial. Choose a floor, pick a colour, determine the installation pattern, apply feature strips, combine sizes. With mFLOR, the creative possibilities are endless.



*Authentic Plank - Shade*  
81015



*Parva River Oak - Douro*  
41325






Parva Oak Chevron - Piedmont  
42214



Bramber Chestnut - Nutmeg  
81601

### Get inspired

Modern herringbone, luxurious Hungarian point, a robust ship deck pattern with feature strips or a tough, industrial look with many knots and wood grains or concrete look tiles. Get inspired and discover your style. See more references on [www.mflor.com](http://www.mflor.com)



Fonteyn - Simene  
41614





*Click  
& Go!*

Authentic Lake - Grafham  
56215





# Click & Go!

A number of mFLOR collections is also available as a Solcora rigid core LVT floors. With a strong click connection and integrated subfloor, Solcora ensures optimal comfort and a quick and easy installation.



A floor determines the atmosphere for every room. If you choose Solcora, you choose natural designs and the highest quality materials.



Thanks to our state-of-the-art production techniques, we can apply the most intense colors and deep, accurate structures. Solcora floors are therefore almost indistinguishable from real wood or stone.



Solcora is Silence and is all in one. For extra comfort, all Solcora collections have an integrated underlay. As a result, Solcora floors achieve a noise reduction of LLIN 21 dB, which is great for use in apartment buildings.



Solcora combines the comfortable benefits of LVT floors (such as mFLOR) with a quick and easy installation. The ideal floor for every working or living environment, click & go!



## Curious?

Please visit [www.solcora.com](http://www.solcora.com) for more information and the brochure.

Independently tested and approved by:



**Solcora**  
by mFLOR



# mFLOR Product directory

Design Collection	Dryback 20-03	Dryback 25-05	Loose Lay 50-07	Natural Touch	Double film	Solcora by mFLOR	Dimensions in cm
Abstract		√					91.44 x 45.72
Abstract			√				91.44 x 45.72
Argyll Fir	√						121.92 x 22.86
Authentic Lake		√		√	√	√	150.00 x 23.00
Authentic Oak		√		√	√		121.92 x 22.86
Authentic Oak XL		√		√	√	√	150.00 x 23.00
Authentic Plank		√		√	√		121.92 x 18.42
Bramber Chestnut		√					150.00 x 23.00
Broad Leaf		√					121.92 x 18.42
Broad Leaf			√				121.92 x 18.42
English Oak		√			√		121.92 x 18.42
English Oak			√				121.92 x 18.42
Estrich Stone		√					60.96 x 60.96
Fonteyn		√			√		91.44 x 91.44
Hokido Ash	√						121.92 x 22.86
Nuance		√				√	91.44 x 45.72
Nuance			√			√	91.44 x 45.72
Nuance		√					91.44 x 91.44
Nuance			√				91.44 x 91.44
Parva Broad Leaf		√					60.96 x 11.43
Parva Oak		√					60.96 x 11.43
Parva Oak Chevron		√					80.01 x 13.34
Parva Parquet		√					22.86 x 7.62
Parva River Oak		√				√	60.96 x 11.43
Parva River Oak XL <sup>NEW</sup>		√					74.93 x 15.24
Reservoir Oak	√						121.92 x 22.86
River Oak	√						121.92 x 22.86
River Oak XL		√				√	150.00 x 23.00
Woburn Woods	√						121.92 x 18.42

## Feature strips

Width	Thickness	Length	Colours	Tube
2.8mm (for 20-03)	2.0mm	91cm	black/grey/beige/brown	100 strips
3.4mm (for 25-05)	2.3mm	91cm	black/grey/beige/brown	100 strips
5.0mm (for 25-05)	2.4mm	91cm	black/grey	100 strips



Thickness in mm	Wear layer in mm	Pack quantity	Bevel	Usage category 23 - Heavy domestic use 31 - Light commercial use	Usage category 33 - Heavy commercial use 42 - General industrial use	Usage category 34 - Intense heavy commercial use 43 - Heavy industrial use
2.5	0.55	8 tiles / 3.34 m <sup>2</sup>	Standard		√	
5.0	0.70	6 tiles / 2.51 m <sup>2</sup>	Standard			√
2.0	0.30	12 strips / 3.34 m <sup>2</sup>	Micro	√		
2.5	0.55	10 strips / 3.45 m <sup>2</sup>	Standard		√	
2.5	0.55	12 strips / 3.34 m <sup>2</sup>	Standard		√	
2.5	0.55	10 strips / 3.45 m <sup>2</sup>	Standard		√	
2.5	0.55	15 strips / 3.37 m <sup>2</sup>	Standard		√	
2.5	0.55	10 strips / 3.45 m <sup>2</sup>	Standard		√	
2.5	0.55	15 strips / 3.37 m <sup>2</sup>	Standard		√	
5.0	0.70	10 strips / 2.25 m <sup>2</sup>	Standard			√
2.5	0.55	15 strips / 3.37 m <sup>2</sup>	Standard		√	
5.0	0.70	10 strips / 2.25 m <sup>2</sup>	Standard			√
2.5	0.55	9 tiles / 3.34 m <sup>2</sup>	Standard		√	
2.5	0.55	6 tiles / 5.02 m <sup>2</sup>	Standard		√	
2.0	0.30	12 strips / 3.34 m <sup>2</sup>	None	√		
2.5	0.55	8 tiles / 3.34 m <sup>2</sup>	Standard		√	
5.0	0.70	6 tiles / 2.51 m <sup>2</sup>	Standard			√
2.5	0.55	6 tiles / 5.02 m <sup>2</sup>	Standard		√	
5.0	0.70	4 tiles / 3.34 m <sup>2</sup>	Standard			√
2.5	0.55	48 strips / 3.34 m <sup>2</sup>	Standard		√	
2.5	0.55	48 strips / 3.34 m <sup>2</sup>	Standard		√	
2.5	0.55	30 strips / 2.67 m <sup>2</sup>	Standard		√	
2.5	0.55	60 strips / 1.05 m <sup>2</sup>	Micro		√	
2.5	0.55	48 strips / 3.34 m <sup>2</sup>	Standard		√	
2.5	0.55	36 strips / 4.11 m <sup>2</sup>	Standard		√	
2.0	0.30	12 strips / 3.34 m <sup>2</sup>	Micro	√		
2.0	0.30	12 strips / 3.34 m <sup>2</sup>	Micro	√		
2.5	0.55	10 strips / 3.45 m <sup>2</sup>	Standard		√	
2.0	0.30	15 strips / 3.37 m <sup>2</sup>	Micro	√		

Colours shown may differ slightly from the actual colours. For more information about installation and maintenance, visit our website [www.mflor.com](http://www.mflor.com)



mFLOR International B.V.  
sales@mflor.com

[www.mflor.com](http://www.mflor.com)

